



FRONT OF  
BUILDING

87 PINEHURST



LOCATION  
OF PROPOSED  
RECESSED LED  
DOWNLIGHT  
(SPEC ENCLOSED)

### Product Options

*either*

*3" LED DOWNLIGHT*

**Finish:** Brushed Nickel, Matte Black, Matte White, Oil Rubbed Bronze  
**Light Temperature:** 3000K, 4000K

### Details

- Designed in 2017
- Material: Aluminum
- Innovative, slim design combines high-quality light output and efficiency
- No housing required
- IC rated remote driver box included
- Allows easy installation for new construction, remodels or retrofits
- Only need 3" clearance needed for installation
- Approved for direct contact with insulation
- Isolated driver integrated inside steel remote box with four .88" knockouts with slots for pryout
- Extremely bright LED light dims down to 10%
- LED module maintains at least 70% light output for 36,000 hours
- Wet listed
- Energy Star Qualified
- CSA Certified
- Warranty: Limited 5 Years
- Made In China



Shown in Brushed Nickel finish

### Notes:

### Dimensions

**Fixture:** Height 1.1", Diameter 3.4"  
**Housing:** Length 4", Width 2.5", Height 1.3"

### Lighting

- 3000K Option: 8 Watt (550 Lumens) 120 Volt Integrated LED: CRI: 80 Color Temp: 3000K
- 4000K Option: 7.9 Watt (590 Lumens) 120 Volt Integrated LED: CRI: 80 Color Temp: 4000K

### Additional Details

**Product URL:** <https://www.lumens.com/ultra-thin-3-inch-led-afer-downlight-by-lithonia-lighting-LTHP154602.html>

**Rating:** CSA Certified

**Product ID:** LTHP154602

**Prepared by:**

**Prepared for:**


**Project:**

**Room:**

**Placement:**

**Approval:**






LOCATION OF  
PROPOSED CUSTOM  
BRASS SPEAKER  
COVER

Example →

Custom brass cover  
4x4



- no buttons
- Speaker only
- above current unit buzzers