













Kingsman Fire Bowl

Specs

Warranty

Q&A

Reviews

The Kingsman Fire Bowl is crafted from hand cast concrete, a beautiful low-maintenace material that provides incredible strength and durability. The textured black or smooth grey finish is beautiful and will blend with any outdoor decor.




Features:

Overview

- Dimensions: 30" D x 14" H
- · Cast concrete construction
- Can be set on wood deck or patio
- Ultimate in design, engineering and quality

This Kingsman Fire Bowl includes leg extensions, filler strip, key way valve and lava rock. The fire pit burner that is included has been tested with the burner to use lava rock media at 65,000 BTUs.





するぞうぞう Rating: 5 out of 5







Special Order | Ships Within: 3 to 4 Weeks FREE Shipping - Freight

Item#: 3580628 f ₽ 8 😾 🛎 🔩

Starting At: \$1,712.70

Qty: 1 ▼

Add To Cart

Build Your Kingsman Fire Bowl



Required

Select your Fire Bowl Finish Color

- Fire Bowl is constructed of cast concrete
- · Choose between black or grey



Required

Select Fuel Type

- Select fuel type
- Unit can use natural gas or propane



Option

Kingsman Fire Pit Log Set

- Add these logs to your fire bowl
- 4-piece log set
- Cast oak construction/design



Option

Kingsman Fire Pit Bowl Cover - Charcoal

- · Protect your outdoor fire pit from the elements
- Fits a 30" fir ebowl
- Designed for Kingsman fire pit bowl

Item #: 358FPColor

Price: \$0.00

*Select Finish - Select -

Item #: 358FuelType

Price: \$0.00

*Select Your Fuel Type: - Select -

Item#: 3580633

Price: \$191.70

Add Item

Item #: 3580626

Price: \$175.50

Add Item



Paint Colors



Benjamin Moore Black 2132-10: For existing roof deck railing system at 41 Phillips St. - Unit 17-18 Style #69719 lyon






MATTE BLACK FINISH



Designs that embody style, form and function.

Style #69719

lyon



Weights:

22 lbs

Exterior Dimension 48" x 18" x 12"

FLOOR MOUNTED

Interior dimensions: 46" x 15.5" x 12"

Lip: L 2.5"

Please note that the sizes may vary by up to 2% of noted dimensions and weights are approximations.


42" x 8" x 8"

RAILING MOUNTED



Jay Scotts offers 16 standard colors and has the ability to custom match over 3,000 colors. Call us today for more information and pricing.

Jay Scotts Collection | 410 SW 4th Terrace | Dania Beach, FL 33004 | Tel: 954-922-3939 | Web: www.jayscotts.com Committed to "EXCELLENCE" as your Global Source for Design Innovation.



VENTILATOR, TURBINE, 6IN

EMPIRE | Zoro #: G1176917 | Mfr #: TV06G

1 Review | Write a Review

Rated



In stock 6

\$63.35 /EA

Item ships from Zoro in 1 business day.

DETAILS:

Item: Turbine Ventilator Overall Width (In.): 12-3/4 Overall Height (In.): 14-1/2

View Full Product Details ♥

qty 1

Add to Cart

This item ships FREE. Details. Standard ground shipping.





K.E. VENT - PAINTED BLACK

Specifications

9

Description

V

Reviews

ZORO CUSTOMERS ALSO BOUGHT



STANDARD FEATURES

GRILLS

- Available in 30", 36", and 42" widths
- HorizonTM hood with spring-assisted hinges to hold at desired heights*
- Motion activated StadiumTM halogen under-hood lighting*
- Multi-purpose built-in ceramic infrared rotisserie / searing / finishing burner* from 12,000 to 18,000 Btu/hour (depending on model) with simple touch on function
- High performance 321SS TrellisTM tubular burner at 25,000 Btu/hour each*
- 5/16" thick DiamondCutTM lasered in-house stainless steel grate*
 - · High performance variable ceramic infrared sear burner at 25,000 Btu/hour each
 - Symmetrical flip to clean radiant tray with monogrammed ceramic briquettes*
 - 525 square inch total grilling surface for 30" model. 653 square inch total grilling surface for 36" model. 782 square inch total grilling surface for 42" model.
 - Warming rack 189 square inches for the 30", 236 square inches for the 36" and 282 square inches for the 42" unit.
 - Concealed chain driven whisper quiet rotisserie motor system with a single speed, 6 rpm, 50 in-lbs motor
 - MarquiseTM accented control panel and hood handle with commercial grade end caps
 - 5/16" thick DiamondCutTM lasered in-house stainless steel warming rack with 3 vertical positions. Concealed storage when not in use.
 - · Hot surface ignition system with lighting assist function
 - Lifetime warranty on welded body, DiamondCutTM grates and warming racks, TrellisTM burners, variable sear burners, and rotisserie burner



- Infinite position monogrammed removable smoker and handle for wood chips or smoker pellets Heavy gauge welded body construction
- LED front control panel lighting with simple touch on function
- Monogrammed temperature gauge with cooking zone markings
- · Stainless steel removable drip tray for ease of cleaning
- Zamak die-cast knobs, burner indicators and bezels
- · Porcelain broiling pan with stainless steel rotisserie spit and forks


OPTIONS & ACCESSORIES

- Natural Gas (NG) or Liquid Propane (LP)
- Twelve (12) Hestan signature color finishes
- · High altitude kit
- Gas converstion kits (NG/LP)

36" Model Shown

Carbon Fiber Vinyl Cover

* = patent pending



phone 888,905,7463

3375 E. La Palma Ave., Anaheim, CA 92806

www.hestanoutdoor.com




NOTCH DETAIL FOR

WITH INSULATION JACKÉT

COMBUSTIBLE ENCLOSURE (ISLAND)





INSULATED JACKETS											
Model Number	Description	W (in.)	D (in.)	H (in.)	X1 (in.)	X2 (in.)	X3 (in.)	X4 (in.)	Z (in.)		
AGIJ30	Insulated Jacket, 30"	35	25-1/8	12-13/16	4-3/16	3-1/8	1-1/2	3-13/16	3-7/8		
AGIJ36	Insulated Jacket, 36"	41	25-1/8	12-13/16	4-3/16	3-1/8	1-1/2	3-13/16	3-7/8		
AGII42	Insulated Jacket, 42"	47	25-1/8	12-13/16	4-3/16	3-1/8	1-1/2	3-13/16	3-7/8		

Z MIN.

TOP VIEW

хз 🗐

3-1/2" SQUARE OPENING FOR GAS SUPPLY

Minimum gas supply is 7" water column for natural gas and 11" for propane. Operating pressure at the manifold is 4" water column for natural gas and 10" for propane. All units require a regulated gas supply.

ELECTRICAL REQUIREMENTS:

120V, 60Hz, 6 amps



Hestan Outdoor products are approved for outdoor use only. Hestan Commercial Corporation reserves the right to change materials and specifications without notice. Specify type of gas when ordering.

Built - In		——————————————————————————————————————							Total	
Models	Description	W (in.)	D (in.)	H (in.)	X1 (in.)	X2 (in.)	X3 (in.)	X4 (in.)	Z (in.)	Btu's
G_BR30-NG / -LP	30" Grill Built-in	29	23- 1/ 2	12	1-3/16	1-1/2	1/4	13/16	5 - 1/ 2	62000
G_BR36-NG / -LP	36" Grill Built-in	35	23-1/2	12	1-3/16	1-1/2	1/4	13/16	5 - 1/2	89000
G_BR42-NG / -LP	R42-NG / -LP 42" Grill Built-in		23-1/2	12	1-3/16	1-1/2	1/4	13/16	5 - 1/ 2	118000

3-1/2" SQUARE -OPENING FOR ELECTRICAL



1" MAX COUNTERTOP


OVERHANG





phone 888.905.7463

3375 E. La Palma Ave., Anaheim, CA 92806



G () GRASSI DESIGN GROUP

LING RESIDENCE
UNITI7-18 41 PHILLIPS ST BOSTON, MA 02114


EXISTING ROOF DECK FLOOR PLAN


A1


EXISTING ROOF DECK PLAN 14" = 1'-0"

G () GRASSI DESIGN GROUP

PROPOSED ROOF DECK FLOOR PLAN







JOB NO:1910 GRASSI DESIGN GROUP

SCALE: AS NOTED

DATE: 1.20.20

46 Waltham Street, Suite 3A

Boston, MA 02118 Phone 617-956-9992

Fax 917-956-9993

SCREEN WALL & EXTERIOR CABINET DETAILS

LING RESIDENCE

A3