

Boston Wastewater Epidemiology Report

Updated: 16-Nov-2025 | **Data Complete Through**: 12-Nov-2025



Report Contents



COVID-19 Summary

Neighborhood Levels and Trends COVID-19 Citywide Overview and

Trends

BPHC Trend Overview by

Neighborhood

Detailed Results

Results by Neighborhood

Allston/Brighton

Back Bay

Charlestown

Dorchester

East Boston

Hyde Park

Jamaica Plain

Mattapan

Roslindale/West Roxbury

Roxbury

Influenza & RSV

Influenza Detections in Wastewater Influenza Trends in Wastewater by

Neighborhood

RSV Detections in Wastewater

RSV Trends in Wastewater by

Neighborhood

Additional Information

COVID-19 Wastewater Level and

Trend Category Definitions

Recommendations and Resources by

Level

Level: Very High

Level: High


Level: Moderate

Level: Low

Level: Very Low

Neighborhood Levels and Trends





COVID-19

(# sites)

Very Low

BOSTON CITYWIDE COVID-19 LEVEL & TRENDS

COVID-19 LEVEL

2-WEEK TRENDS

Very Low

 \rightarrow

15 copies/mL samplesthrough 12-Nov-2025

+1 copies/mL (+9%)

NEIGHBORHOOD SITES COVID-19 LEVEL & TRENDS

Level	Neighborhood/Site		Trend
Very Low	Roxbury (RX)	\rightarrow	Stable
	Dorchester (DOR 2224)	\rightarrow	Stable
	Mattapan (MT)	\rightarrow	Stable
	Back Bay (BB)	\rightarrow	Stable
	Allston/Brighton (A/B)	\rightarrow	Stable
	Jamaica Plain (JP)	\rightarrow	Stable
	Roslindale/West Roxbury (RS/WR)	\rightarrow	Stable
	Charlestown (CH)	7	Decrease
	East Boston (EB)	7	Decrease
	Hyde Park (HP)	\rightarrow	Stable


For additional details see:

Verv Hiah

- . Results by Neighborhood
- Detailed Neighborhood Levels and Trends Table
- Trend and Level Category Definitions

COVID-19 Citywide Overview and Trends










Updated: 16-Nov-2025 | Samples through: 12-Nov-2025

BPHC Trend Overview by Neighborhood





For each neighborhood, colored line and textbox shows the smoothed trend and most recent value in that neighborhood:

The dotted blue line and dark blue text box in each panel shows the trend and most recent value across all Boston sites weighted by population.

The vertical red line marks the date of August 1, 2024, when the laboratory that tests Boston's wastewater changed.

To see details and interpretation of these results for an individual neighborhood see Results by Neighborhood.

Results by Neighborhood



- Allston-Brighton (A/B)
- Back Bay (BB)
- Charlestown (CH)
- Dorchester (DOR)
- East Boston (EB)
- Hyde Park (HP)
- Jamaica Plain (JP)
- Mattapan (MT)
- Roslindale/West Roxbury (RS/WR)
- Roxbury (RX)

Allston/Brighton




Level: Very Low

- Average value in A/B over the past week: 9 copies/mL.
- This value is very low compared to past values and <u>similar</u> than the citywide average (15 copies/mL).

Trend: → Stable

- Over the past two weeks, values in <u>A/B</u> are <u>stable</u>.
- Change compared to two weeks ago: +7 copies/mL (+456%).



Updated: 16-Nov-2025 | Samples through: 12-Nov-2025 (A/B);

Back Bay




Level: Very Low

- Average value in <u>BB</u> over the past week: 10 copies/mL.
- This value is very low compared to past values and similar than the citywide average (15 copies/mL).

Trend: → Stable

- Over the past two weeks, values in <u>BB</u> are <u>stable</u>.
- Change compared to two weeks ago: <u>-8</u> copies/mL (-45%).



Updated: 16-Nov-2025 | Samples through: 12-Nov-2025 (BB);

Charlestown




Level: Very Low

- Average value in <u>CH</u> over the past week: 1 copies/mL.
- This value is very low compared to past values and <u>similar</u> than the citywide average (15 copies/mL).

Trend: > Decrease

- Over the past two weeks, values in <u>CH</u> are <u>decreasing</u>.
- Change compared to two weeks ago:
 <u>-51</u> copies/mL (-98%).



Updated: 16-Nov-2025 | Samples through: 12-Nov-2025 (CH);

Dorchester




Level: Very Low

- Average value in <u>DOR 2224</u> over the past week: <u>16</u> copies/mL.
- This value is very low compared to past values and <u>similar</u> than the citywide average (15 copies/mL).

Trend: → Stable

- Over the past two weeks, values in <u>DOR 2224</u> are <u>stable</u>.
- Change compared to two weeks ago: +6 copies/mL (+51%).



Updated: 16-Nov-2025 | Samples through: 12-Nov-2025 (DOR 2224);

East Boston




Level: Very Low

- Average value in <u>EB</u> over the past week: 1 copies/mL.
- This value is very low compared to past values and similar than the citywide average (15 copies/mL).

Trend: > Decrease

- Over the past two weeks, values in <u>EB</u> are <u>decreasing</u>.
- Change compared to two weeks ago:

 -41 copies/mL (-98%).



Updated: 16-Nov-2025 | Samples through: 12-Nov-2025 (EB);

Hyde Park




Level: Very Low

- Average value in <u>HP</u> over the past week: 1 copies/mL.
- This value is very low compared to past values and similar than the citywide average (15 copies/mL).

Trend: → Stable

- Over the past two weeks, values in <u>HP</u> are <u>stable</u>.
- Change compared to two weeks ago: <u>-6</u> copies/mL (-88%).



Updated: 16-Nov-2025 | Samples through: 12-Nov-2025 (HP);

Jamaica Plain




Level: Very Low

- Average value in <u>JP</u> over the past week:
 5 copies/mL.
- This value is very low compared to past values and similar than the citywide average (15 copies/mL).

Trend: → Stable

- Over the past two weeks, values in <u>JP</u> are <u>stable</u>.
- Change compared to two weeks ago: <u>-8</u> copies/mL (-60%).



Updated: 16-Nov-2025 | Samples through: 12-Nov-2025 (JP);

Mattapan




Level: Very Low

- Average value in <u>MT</u> over the past week: 14 copies/mL.
- This value is very low compared to past values and <u>similar</u> than the citywide average (15 copies/mL).

Trend: → Stable

- Over the past two weeks, values in <u>MT</u> are <u>stable</u>.
- Change compared to two weeks ago: +5 copies/mL (+58%).



Updated: 16-Nov-2025 | Samples through: 12-Nov-2025 (MT);

Roslindale/West Roxbury




Level: Very Low

- Average value in <u>RS/WR</u> over the past week: 4 copies/mL.
- This value is very low compared to past values and <u>similar</u> than the citywide average (15 copies/mL).

Trend: → Stable

- Over the past two weeks, values in RS/WR are stable.
- Change compared to two weeks ago: +1 copies/mL (+36%).



Updated: 16-Nov-2025 | Samples through: 12-Nov-2025 (RS/WR);

Roxbury




Level: Very Low

- Average value in <u>RX</u> over the past week: 44 copies/mL.
- This value is very low compared to past values and similar than the citywide average (15 copies/mL).

Trend: → Stable


- Over the past two weeks, values in <u>RX</u> are <u>stable</u>.
- Change compared to two weeks ago: +33 copies/mL (+279%).




Updated: 16-Nov-2025 | Samples through: 12-Nov-2025 (RX);

Influenza Detections in Wastewater







Samples Positive for Flu (Past 3 Samples)

4 sites

3 sites

3 sites

1 sites


o sites

2 positive 3 positive No Samples Collected

This map depicts the number of times influenza virus was detected in wastewater at the 3 most-recent samples (approximately the past week) at each of the neighborhood sampling locations.

Influenza Trends in Wastewater by Neighborhood






For each neighborhood, colored line and textbox shows the smoothed trend and most recent value in that neighborhood:

The dotted blue line in each panel shows the trend and most recent value across all Boston sites weighted by population.

RSV Detections in Wastewater





Samples Positive for RSV (Past 3 Samples)

0 nositive

1 positive


1 sites

0 sites

2 positive 3 positive No Samples Collected


RSV = Respiratory Syncytial Virus

This map depicts the number of times RSV was detected in wastewater at the 3 most-recent samples (approximately the past week) at each of the neighborhood sampling locations.



RSV Trends in Wastewater by Neighborhood





For each neighborhood, colored line and textbox shows the smoothed trend and most recent value in that neighborhood:

The dotted blue line in each panel shows the trend and most recent value across all Boston sites weighted by population.

COVID-19 Wastewater Level and Trend Category Definitions



Concentration Levels

Concentration	Concentration Value	
Level	(Copies/mL)	
Very High	>320	
High	240-320	
Moderate	160-240	
Low	80-160	
Very Low	≤80	

2-Week Trend Categories

	Trend Category	Trend Value	
	Trend Category	(Copies/mL)	
一 个	Large Increase	>+175	
7	Increase	+50 to +175	
\rightarrow	Stable	-50 to +50	
7	Decrease	-175 to -50	
\downarrow	Large Decrease	≤-175	

Level: Very High



Wastewater viral levels in your neighborhood indicate **very high risk** of COVID-19 infection.

Based on this level, BPHC urgently recommends the following practices to prevent COVID-19 in your community:

- Wear a high-quality mask or respirator
- If you are at high risk of getting very sick, consider limiting non-essential indoor activities in large groups or in public where you could be exposed.
- If you have close contact with someone at high risk of getting very sick, consider self-testing to detect infection before contact, and consider wearing a high-quality mask when indoors with them

- · Stay up-to-date on vaccinations.
- Seek testing and possible treatment if you get sick
- Stay home when you are sick and avoid contact with others who are sick
- Regularly clean and disinfect frequently touched surfaces
- Improve indoor airflow and ventilation
- Wash your hands often with soap and water for at least 20 seconds and cover coughs and sneezes

- Find a vaccination clinic in your neighborhood
- Call or visit the Mayor's Health Line
- Learn more about respiratory illnesses like COVID-19, the flu, and RSV

Level: High



Wastewater viral levels in your neighborhood indicate **high risk** of COVID-19 infection.

Based on this level, BPHC strongly recommends the following practices to prevent COVID-19 in your community:

- · Wear a high-quality mask or respirator
- If you have close contact with someone at high risk of getting very sick, consider self-testing to detect infection before contact, and consider wearing a high-quality mask when indoors with them
- Stay up-to-date on vaccinations.
- Seek testing and possible treatment if you get sick
- Stay home when you are sick and avoid contact with others who are sick
- · Regularly clean and disinfect frequently touched surfaces
- Improve indoor airflow and ventilation
- Wash your hands often with soap and water for at least 20 seconds and cover coughs and sneezes

- Find a vaccination clinic in your neighborhood
- Call or visit the Mayor's Health Line
- Learn more about respiratory illnesses like COVID-19, the flu, and RSV

Level: Moderate



Wastewater viral levels in your neighborhood indicate **moderate risk** of COVID-19 infection.

Based on this level, BPHC recommends the following practices to prevent COVID-19 in your community:

- If you are at high risk of getting very sick, wear a high-quality mask or respirator in public indoor spaces
- If you have close contact with someone at high risk of getting very sick, consider self-testing to detect infection before contact, and consider wearing a high-quality mask when indoors with them
- Stay up-to-date on vaccinations.
- Seek testing and possible treatment if you get sick
- Stay home when you are sick and avoid contact with others who are sick
- · Regularly clean and disinfect frequently touched surfaces
- Improve indoor airflow and ventilation
- Wash your hands often with soap and water for at least 20 seconds and cover coughs and sneezes

- Find a vaccination clinic in your neighborhood
- · Call or visit the Mayor's Health Line
- Learn more about respiratory illnesses like COVID-19, the flu, and RSV

Level: Low



Wastewater viral levels in your neighborhood indicate **low risk** of COVID-19 infection.

Based on this level, BPHC recommends the following practices to prevent COVID-19 in your community:

- Continue to monitor wastewater levels and trends
- Stay up-to-date on <u>vaccinations</u>.
- · Seek testing and possible treatment if you get sick
- Stay home when you are sick and avoid contact with others who are sick
- · Regularly clean and disinfect frequently touched surfaces
- Improve indoor airflow and ventilation
- Wash your hands often with soap and water for at least 20 seconds and cover coughs and sneezes

- Find a vaccination clinic in your neighborhood
- Call or visit the Mayor's Health Line
- Learn more about respiratory illnesses like COVID-19, the flu, and RSV

Level: Very Low



Wastewater viral levels in your neighborhood indicate **very low risk** of COVID-19 infection.

Based on this level, BPHC recommends the following practices to prevent COVID-19 in your community:

- . Continue to monitor wastewater levels and trends
- Stay up-to-date on vaccinations.
- Seek testing and possible treatment if you get sick
- Stay home when you are sick and avoid contact with others who are sick
- · Regularly clean and disinfect frequently touched surfaces
- Improve indoor airflow and ventilation
- · Wash your hands often with soap and water for at least 20 seconds and cover coughs and sneezes

- Find a vaccination clinic in your neighborhood
- Call or visit the Mayor's Health Line
- Learn more about respiratory illnesses like COVID-19, the flu, and RSV